

炭素鋼製高圧継手S25C SCH80(藤井高圧工業)

2017年 7月1日制定

品名		エルボ		45エルボ		ステル	チーズ	
接続		PT	SW	PT	SW	PT	PT	SW
コード		443-013-01	443-023-01	443-013-02	443-023-02	443-013-03	443-013-05	443-023-05
6A	1/8							
8A	1/4	570	460	650	520	810	730	600
10A	3/8	570	460	650	520	810	730	600
15A	1/2	730	660	850	730	1,000	990	820
20A	3/4	930	800	1,100	910	1,600	1,250	1,100
25A	1"	1,300	1,170	1,550	1,400	2,100	1,750	1,580
32A	1-1/4	2,100	1,950	2,300	2,100	3,500	2,800	2,550
40A	1-1/2	2,700	2,500	3,100	2,750	4,500	3,700	3,400
50A	2"	4,500	4,100	4,800	4,200	8,300	6,200	5,600
65A	2-1/2	13,900	11,500	16,500	14,000		21,800	13,000
80A	3"	22,600	18,200	32,200	23,800		34,700	22,500

品名		ユニオン(リング)		ユニオン(ガスケット)		USMユニオン	ボス	
接続		PT	SW	PT	SW	PT	PT	SW
コード		443-013-09	443-023-09	443-013-10	443-023-10	443-013-08	443-013-17	443-023-17
6A	1/8							
8A	1/4	1,900	1,750	2,100	1,850	2,300	500	480
10A	3/8	1,900	1,750	2,100	1,850	2,300	500	480
15A	1/2	2,250	2,000	2,400	2,000	2,950	600	540
20A	3/4	2,600	2,400	2,900	2,400	3,220	670	610
25A	1"	3,800	2,950	4,100	3,600	4,300	820	800
32A	1-1/4	4,600	4,100	4,900	4,700	6,200	1,350	1,200
40A	1-1/2	6,400	6,000	7,600	6,700	8,700	1,650	1,550
50A	2"	9,600	9,400	11,000	10,000	19,000	2,500	2,300
65A	2-1/2	22,000	21,500	24,000	23,500		5,200	4,470
80A	3"	31,000	29,500	32,000	31,500		7,300	6,190

*パッキンは別売

品名		ソケット(カップリング)					ニップル	
接続		PT全六	PT中六	PT丸	SW	オスメス	PT X SW	PT
コード		443-013-13	443-013-12	443-013-11	443-023-11	443-013-14	443-013-15	443-013-32
6A	1/8							
8A	1/4	560	500	350	400	910	610	350
10A	3/8	650	500	400	400	1,000	610	350
15A	1/2	740	600	600	480	1,280	750	530
20A	3/4	870	710	790	510	1,530	860	790
25A	1"	1,370	1,200	1,150	760	2,780	1,290	1,100
32A	1-1/4	2,030	1,850	1,890	1,190	3,660	1,940	1,480
40A	1-1/2	2,730	2,450	2,430	1,530		2,560	1,800
50A	2"		4,000	3,660	2,420		4,120	3,000
65A	2-1/2			5,380	4,740		5,360	5,200
80A	3"			7,000	6,450		7,350	9,600

炭素鋼製高圧継手 S25C SCH80(藤井高圧工業)

2017年 7月1日制定

品名		ハーフカップリング		レジュシングインサート		ブッシ	逆ブッシ
接続		PT	SW	SW1段	SW2段	PT	PT
コード		443-013-16	443-023-16	443-023-57		443-013-21	443-013-22
6A	1/8						
8A	1/4	460	450			340	990
10A	3/8	460	450	690		340	1,210
15A	1/2	540	520	850	620	480	1,420
20A	3/4	610	580	900	750	700	1,850
25A	1"	750	720	1,200	850	1,050	5,090
32A	1-1/4	1,200	1,110	1,500	1,210	1,180	6,400
40A	1-1/2	1,550	1,480	2,200	1,300	1,600	
50A	2"	2,190	2,100	2,600	1,850	2,800	
65A	2-1/2	5,000	4,300			4,700	
80A	3"	7,100	6,000			7,600	

品名		キャップ		クロス		プラグ	沈プラグ
接続		PT	SW	PT	SW	PT	PT
コード		443-013-41	443-023-41	443-013-49	443-023-49	443-013-41	443-013-47
6A	1/8						
8A	1/4	480	450	1,620	1,390	280	80
10A	3/8	480	450	1,620	1,390	280	80
15A	1/2	570	520	1,780	1,570	380	150
20A	3/4	670	700	2,240	2,040	620	330
25A	1"	1,000	800	3,210	2,960	850	720
32A	1-1/4	1,490	900	5,460	4,500	1,050	2,100
40A	1-1/2	2,200	1,100	8,090	6,720	1,400	3,000
50A	2"	3,100	1,600	12,200	9,870	2,250	3,300
65A	2-1/2		3,200			4,000	
80A	3"		4,600			7,200	

品名		異径エルボ		異径チーズ		異径ニッパル	異径ソケット	
接続		PT	SW	PT	SW	PT	PT	SW
コード		443-013-51	443-023-51	443-013-52	443-023-52	443-013-55	443-013-53	443-023-53
8A	1/4	890	700	850	750	490	650	630
10A	3/8	890	700	850	750	490	650	630
15A	1/2	1,020	800	1,100	950	600	780	730
20A	3/4	1,170	1,050	1,360	1,170	920	1,150	750
25A	1"	1,610	1,540	1,950	1,750	1,250	1,300	850
32A	1-1/4	2,720	2,470	3,600	2,800	1,680	1,950	1,250
40A	1-1/2	3,400	3,240	4,400	3,700	2,200	3,100	1,600
50A	2"	5,460	5,160	6,800	5,800	3,300	4,450	2,700
65A	2-1/2	15,000	11,600	24,100	17,600	7,100		5,100
80A	3"			39,000	25,400			6,800

炭素鋼製高圧継手 S25C SCH160(藤井高圧工業)

2017年 7月1日制定

品名		エルボ	45エルボ	チーズ	ソケット
接続		SW	SW	SW	SW
コード		443-024-01	443-024-02	443-024-05	443-024-11
8A	1/4				
10A	3/8				
15A	1/2	840	1,210	1,160	900
20A	3/4	1,220	1,870	1,650	1,200
25A	1"	2,050	2,640	2,650	1,450
32A	1-1/4	2,600	3,740	3,520	1,800
40A	1-1/2	4,200	5,800	5,800	2,100
50A	2"	11,900	14,900	17,600	3,200
65A	2-1/2	19,000	19,800	23,500	5,700
80A	3"	33,800	23,700	47,700	7,800

炭素鋼製高圧角フランジ S25C SCH80(藤井高圧工業)

品名		SHF	SHA	SHB	SSF	SSA
コード		443-043-60	443-043-61	443-043-62	443-043-70	443-043-71
10A	3/8	2,600	1,100	1,100	2,500	1,000
15A	1/2	2,600	1,100	1,100	2,500	1,000
20A	3/4	2,850	1,200	1,200	2,700	1,100
25A	1"	4,000	1,650	1,650	4,200	1,500
32A	1-1/4	4,600	2,000	2,000	4,700	1,750
40A	1-1/2	7,300	2,950	2,950	7,600	2,800
50A	2"	8,500	3,500	3,500	8,400	3,200
65A	2-1/2	19,000	8,100	8,100	19,000	8,200
80A	3"	23,000	9,800	9,800	23,000	9,200

品名		SSB	LSA	リングSH, SS兼用	
コード		443-043-72	443-043-73		
10A	3/8	1,250	3,300	G25	
15A	1/2	1,250	3,300	G25	
20A	3/4	1,300	3,700	G30	
25A	1"	1,670	4,950	G35	
32A	1-1/4	1,950	7,100	G40	
40A	1-1/2	3,100	12,100	G50	
50A	2"	3,500	15,500	G60	
65A	2-1/2	8,600	31,000	G75	
80A	3"	10,000	39,000	G85	

* ブラインドフランジもあります。

ステンレス製高圧継手 SUS304 SCH80(藤井高圧工業)

2017年 7月1日制定

品名		エルボ		45エルボ		ストエル	チーズ	
接続		PT	SW	PT	SW	PT	PT	SW
コード		443-013-01	443-023-01	443-013-02	443-023-02	443-013-03	443-013-05	443-023-05
6A	1/8							
8A	1/4	1,350	1,160	1,480	1,300	2,150	1,850	1,550
10A	3/8	1,600	1,370	1,700	1,520	2,550	2,280	2,000
15A	1/2	2,300	2,050	2,600	2,360	3,400	3,200	2,900
20A	3/4	3,250	2,900	3,700	3,260	4,350	4,500	4,000
25A	1"	4,950	4,450	5,200	4,650	6,600	6,600	6,000
32A	1-1/4	8,200	7,620	10,000	8,800	12,000	11,300	10,300
40A	1-1/2	11,000	10,100	11,600	10,600	15,000	15,000	13,800
50A	2"	18,000	16,500	18,500	16,700	23,000	24,000	22,000

品名		ユニオン(リング)		ユニオン(ガスケット)		ボ ス	
接続		PT	SW	PT	SW	PT	SW
コード		443-013-09	443-023-09	243-013-10	243-023-10	243-013-17	243-023-17
6A	1/8						
8A	1/4	3,100	2,900	6,120	4,790	1,000	720
10A	3/8	3,950	3,500	6,880	5,950	1,200	900
15A	1/2	4,800	4,350	7,440	6,720	1,500	1,150
20A	3/4	6,950	6,100	10,150	9,920	2,100	1,600
25A	1"	8,400	7,700	13,300	11,970	3,100	2,350
32A	1-1/4	16,200	14,600	24,900	22,600	4,400	3,600
40A	1-1/2	23,400	21,500	35,800	33,000	5,800	4,950
50A	2"	29,300	27,300	43,700	42,800	8,400	7,350

*パッキンは別売です

品名		ソケット		ハーフカップリング		レジュ-シングインサート		ニップル
接続		PT	SW	PT	SW	SW1段	SW2段	PT
コード		243-013-11	243-023-11	243-013-16	243-023-16	243-023-57		243-013-32
6A	1/8							
8A	1/4	840	660	1,000	700			600
10A	3/8	1,000	810	1,170	850	1,780		770
15A	1/2	1,300	1,060	1,500	1,000	2,200	1,700	1,000
20A	3/4	1,750	1,470	2,090	1,500	2,900	2,000	1,420
25A	1"	2,600	2,120	3,110	2,200	3,600	2,500	2,300
32A	1-1/4	4,200	3,220	4,160	3,350	5,300	3,300	3,900
40A	1-1/2	5,600	4,510	5,620	4,600	7,900	4,500	4,750
50A	2"	8,000	7,100	8,390	7,200	9,900	7,500	7,600

ステンレス製高圧継手 SUS304 SCH80(藤井高圧工業)

2017年 7月1日制定

品名		キャップ		ブッシ	プラグ
接続		PT	SW	PT	PT
コード		243-013-41	243-023-41	243-013-21	243-013-46
6A	1/8				
8A	1/4	1,330	790	540	430
10A	3/8	1,500	1,060	670	540
15A	1/2	1,870	1,470	850	670
20A	3/4	2,510	1,960	1,150	1,000
25A	1"	3,420	2,540	1,750	1,520
32A	1-1/4	4,980	3,130	3,450	3,000
40A	1-1/2	7,640	4,430	4,600	4,200
50A	2"	10,750	7,200	6,500	5,800

品名		異径チーズ		異径コップル	異径ソケット	
接続		PT	SW	PT	PT	SW
コード		243-013-52	243-023-52	243-013-55	243-013-53	243-013-53
8A	1/4	2,350	-	990	1,330	-
10A	3/8	2,710	2,100	1,220	1,610	960
15A	1/2	3,930	3,000	1,660	1,840	1,070
20A	3/4	5,550	4,150	1,940	2,500	1,530
25A	1"	8,290	6,200	3,320	3,680	2,350
32A	1-1/4	13,980	10,500	7,720	5,420	3,500
40A	1-1/2	18,510	15,000	9,420	8,500	4,600
50A	2"	29,390	22,500		11,200	7,100

* 異径エルボは受注生産品になります。




ステンレス製高圧角フランジ SUS304 SCH80(藤井高圧工業)

品名		SHF	SHA	SHB	SSF	SSA	SSB
コード		243-043-60	243-043-61	243-043-62	243-043-70	243-043-71	243-043-72
10A	3/8	10,000	4,700	4,700	10,900	4,600	5,200
15A	1/2	10,000	4,700	4,700	10,900	4,600	5,200
20A	3/4	11,000	5,300	5,300	12,000	5,100	5,700
25A	1"	18,500	8,900	8,900	18,200	7,800	8,900
32A	1-1/4	22,200	10,700	10,700	24,000	10,100	11,000
40A	1-1/2	32,500	15,500	15,500	36,000	16,700	18,000
50A	2"	42,000	20,500	20,500	40,000	18,600	20,000

* ブラインドフランジもあります。


イハラサイエンス 高圧ねじ込み継手

型式	SLA	SLB	SLC	STA	SPA	SPB	SPC	SUA
コード	443-113-01	443-113-02	443-113-03	443-113-05	443-113-48		443-113-45	443-113-09
01-000J					100			
02-000F(J)	660	935	770	880	135	220	275	1,450
03-000F(J)	660	935	925	880	200	255	320	1,450
04-000F(J)	815	1,135	1,155	1,120	275	340	430	2,025
06-000F(J)	1,170	1,630	1,700	1,650	440	450	560	2,510
08-000F(J)	1,800	2,355	2,805	2,375	815	890	945	3,710
10-000F(J)	2,960	3,620	4,040	3,860	2,420	2,110	1,880	5,460
12-000F(J)	4,000	4,710	5,610	5,390	4,040	2,440	2,530	7,095
16-000F(J)	6,435	8,340	9,060	8,975	5,800	3,665	2,940	11,400



型式	SRC	SRN	SBU
コード	443-113-53	443-113-55	443-113-21
02-010F	440	375	310
03-020F	440	375	310
04-020F	695	530	400
04-030F	695	530	400
06-020F	970	700	520
06-030F	970	700	520
06-040F	970	700	520
08-030F	1,485	1,090	860
08-040F	1,485	1,090	860
08-060F	1,485	1,090	860
10-040F	2,400	1,780	1,290
10-060F	2,400	1,780	1,290
10-080F	2,400	1,780	1,290
12-060F	2,600	2,330	1,560
12-080F	2,600	2,330	1,560
12-100F	2,600	2,330	1,560
16-080F	4,510	3,390	2,475
16-100F	4,510	3,390	2,475
16-120F	4,510	3,390	2,475

型式	SFC	SNP
コード	443-113-13	443-113-32
01-000J	320	290
02-000F	275	290
03-000F	450	320
04-000F	630	460
06-000F	960	605
08-000F	1,320	935
10-000F	1,790	1,410
12-000F	2,550	1,960
16-000F	3,610	2,970



イハラサイエンス さし込み溶接継手

2009年1月1日更新


* につきましては単価、納期お問い合わせください

2008年9月1日制定

型式	WLA	WLA	WLB	WLB	WTA	WTA	WFC	WFC
	800F	160F	800F	160F	800F	160F	800F	160F
コード	443-123-01	443-124-01	443-123-02	443-124-02	443-123-05	443-124-05	443-123-13	443-124-13
02-	*		*		650		*	
03-	*		*		650		*	
04-	*	1,120	*	*	800	1,800	*	*
06-	780	1,620	*	*	1,080	1,880	*	*
08-	1,110	2,520	*	*	1,570	2,910	*	*
10-	1,840	2,860	*	*	*	4,160	*	*
12-	2,510	4,700	*	*	*	13,140	*	*
16-	4,000	*	*	*	*	*	*	*
20-	*	*	*	*	*	*	*	*
24-	*	*	*	*	*	*	*	*



型式	WRC	WRC	WUA	WUB	WUC	WUD	WUF
	800F	160F	000J	同径	同径	同径	同径
コード	443-123-53	443-124-53	443-123-09	443-123-40	443-123-41	443-123-42	443-123-43
02-			1,345	1,915	2,645	2,995	1,670
03-	*		1,345	2,445	3,090	3,760	1,670
04-	*		1,810	3,140	5,135	5,390	2,330
06-	*	*	2,280	4,180	6,115	7,070	2,880
08-	*	*	3,350	7,090	10,370	11,210	4,460
10-	*	*	5,450	9,925	14,530	16,270	6,560
12-	*	*	6,610	13,470	19,070	20,070	8,530
16-	*	*	11,035	16,300	32,260	31,935	13,115



型式	FA-A	FA-HA	FA-HB	FA-B	FA-SA	FA-SB	FA-LA
		SHA	SHB		SSA	SSB	LSA
コード	443-143-60	443-143-61	443-143-62		443-143-71	443-143-72	443-143-73
10A	2,210	900	885	*	860	940	2,880
15A	2,210	900	885	*	860	940	2,880
20A	2,370	980	950	*	865	960	3,020
25A	3,500	1,460	1,430	*	1,235	1,350	3,960
32A	3,950	1,675	1,680	*	1,370	1,520	5,765
40A	6,230	2,570	2,535	*	2,300	2,475	8,380
50A	7,165	3,040	3,010	*	2,660	2,835	11,590
65A	14,190	6,070	5,980	*	5,455	5,795	25,060
80A	17,635	7,280	7,190	*	6,380	6,740	31,340

